Printing date 09/17/2015

Reviewed on 09/17/2015

I TOULCE ILLER	tifier
- Trade name:	Sheila Shine (Aerosol)
Article numb	er: No other identifiers
Recommend	ed use and restriction on use ed use: Polishing agent/ Burnishing compound on use: No relevant information available.
• Details of the • Manufacture Sheila Shine 7725 W 2nd (Hialeah, FL 3 Phone: (305)	Inc. Court 3014
ChemTel Inc.	elephone number: 4, +1 (813)248-0585
Hazard(s)	identification
Classificatio	n of the substance or mixture
GHS(02 Flame
Flam. Aeroso	1 H222 Extremely flammable aerosol.
GHS	04 Gas cylinder
V	H280 Contains gas under pressure; may explode if heated.
Press. Gas	
)8 Health hazard
	 B Health hazard H350 May cause cancer. H373 May cause damage to organs through prolonged or repeated exposure.
GHSC Carc. 1B	H350 May cause cancer. H373 May cause damage to organs through prolonged or repeated exposure.
GHSC Carc. 1B STOT RE 2 Concentration Concentration Carc. 1B Store 2 Concentration Carc. 1B Store 2 Carc. 1B Carc. 1B Store 2 Carc. 1D Store 2	 H350 May cause cancer. H373 May cause damage to organs through prolonged or repeated exposure. H315 Causes skin irritation.

Printing date 09/17/2015

Trade name: Sheila Shine (Aerosol)

Reviewed on 09/17/2015

(Cont'd. of page 1) · Hazard pictograms: GHS02 GHS04 GHS07 GHS08 · Signal word: Danger · Hazard-determining components of labeling: Distillates (petroleum), solvent-refined light paraffinic ethylbenzene Distillates (petroleum), solvent-refined heavy paraffinic tetrachloroethylene Hazard statements: H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H315 Causes skin irritation. H350 May cause cancer. H373 May cause damage to organs through prolonged or repeated exposure. · Precautionary statements: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not pierce or burn, even after use. P251 P260 Do not breathe mist/vapors/spray. P211 Do not spray on an open flame or other ignition source. P264 Wash thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection. P302+P352 IF ON SKIN: Wash with plenty of water. P332+P313 If skin irritation occurs: Get medical advice/attention. P308+P313 IF exposed or concerned: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P405 Store locked up. P410+P403 Protect from sunlight. Store in a well-ventilated place. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system NFPA ratings (scale 0 - 4) Health = 1 Fire = 3Reactivity = 0 · HMIS-ratings (scale 0 - 4) *1 Health = *1 HEALTH 3 Fire = 3 FIRE PHYSICAL O Physical = 0 * - Indicates a long term health hazard from repeated or prolonged exposures.

(Cont'd. on page 3)

Printing date 09/17/2015

Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 2)

· Other hazards

· Results of PBT and vPvB assessment:

· PBT: Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:	
64741-89-5	Distillates (petroleum), solvent-refined light paraffinic	30-60%
127-18-4	tetrachloroethylene	10-30%
64741-88-4	Distillates (petroleum), solvent-refined heavy paraffinic	10-30%
1330-20-7	xylene Flam. Liq. 3, H226 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	7-13%
124-38-9	carbon dioxide Press. Gas, H280	<10%
100-41-4	ethylbenzene Flam. Liq. 2, H225 Carc. 2, H351; STOT RE 2, H373; Asp. Tox. 1, H304 Acute Tox. 4, H332	1-5%
	nformation:	

Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

Immediately remove any clothing soiled by the product.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Cont'd. on page 4)

Printing date 09/17/2015

Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol) (Cont'd. of page 3) • After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. A person vomiting while lying on their back should be turned onto their side. Do not induce vomiting; immediately call for medical help. · Information for doctor Most important symptoms and effects, both acute and delayed: Coughing Breathing difficulty Dizziness Irritant to skin and mucous membranes. Nausea Slight irritant effect on eyes. Gastric or intestinal disorders when ingested. Disorientation Danger: Danger of disturbed cardiac rhythm. Danger of convulsion. Danger of impaired breathing. Carcinogenic. Danger through skin absorption. May be harmful if inhaled. · Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Monitor circulation.

5 Fire-fighting measures

 Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide For safety reasons unsuitable extinguishing agents: Water stream. Special hazards arising from the substance or mixture Danger of receptacles bursting because of high vapor pressure if heated. During heating or in case of fire poisonous gases are produced. Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information: Eliminate all ignition sources if safe to do so. 	
Leaking gas fire: Do not extinguish, unless leak can be stopped safely.	

(Cont'd. on page 5)

Printing date 09/17/2015

Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 4)

Cool endangered receptacles with water fog.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures: Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Keep people at a distance and stay upwind. Particular danger of slipping on leaked/spilled product. **Environmental precautions:** Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system. Methods and material for containment and cleaning up: Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Remove from the water surface (e.g. skim or suck off). Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13. Used rags or other cleaning materials should be soaked with water and placed in a sealed container. Reference to other sections: See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage

· Handling

· Precautions for safe handling:

Keep away from heat and direct sunlight.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Rags, metal wools / cuttings / shavings and waste papers soaked with product must be placed in a sealed metal container rated for flammable waste.

Information about protection against explosions and fires:

Emergency cooling must be available in case of nearby fire.

Keep ignition sources away - Do not smoke.

Prevent impact and friction.

Flammable gas-air mixtures may be formed in empty receptacles.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120 °F / 49 °C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

Conditions for safe storage, including any incompatibilities
 Storage

· Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

(Cont'd. on page 6)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 09/17/2015

Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 5)

 Information about storage in one common storage facility: Store away from foodstuffs.
 Store away from oxidizing agents.
 Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting. • **Specific end use(s):** No relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

$^{\cdot}$ Components with limit values that require monitoring at the workplace:		
127-18-4 tetrac	hloroethylene	
PEL (USA)	Long-term value: 100 ppm Ceiling limit value: 200; 300* ppm *5-min peak in any 3 hrs	
REL (USA)	Minimize workplace exp. concs.;Pocket Guide App. A	
TLV (USA)	Short-term value: 685 mg/m³, 100 ppm Long-term value: 170 mg/m³, 25 ppm BEI	
EL (Canada)	Short-term value: 100 ppm Long-term value: 25 ppm IARC 2A	
EV (Canada)	Short-term value: 100 ppm Long-term value: 25 ppm	
LMPE (Mexico)	Short-term value: 100 ppm Long-term value: 25 ppm A3, IBE	
124-38-9 carbo	n dioxide	
PEL (USA)	Long-term value: 9000 mg/m ³ , 5000 ppm	
REL (USA)	Short-term value: 54.000 mg/m³, 30.000 ppm Long-term value: 9000 mg/m³, 5000 ppm	
TLV (USA)	Short-term value: 54.000 mg/m³, 30.000 ppm Long-term value: 9000 mg/m³, 5000 ppm	
EL (Canada)	Short-term value: 15000 ppm Long-term value: 5000 ppm	
EV (Canada)	Short-term value: 54.000 mg/m³, 30.000 ppm Long-term value: 9.000 mg/m³, 5.000 ppm	
LMPE (Mexico)	Short-term value: 30000 ppm Long-term value: 5000 ppm	
1330-20-7 xyle	1e	
PEL (USA)	Long-term value: 435 mg/m³, 100 ppm	

Printing date 09/17/2015

Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

		(Cont'd. of page 6)
REL (USA)	Short-term value: 655 mg/m ³ , 150 ppm Long-term value: 435 mg/m ³ , 100 ppm Short-term value: 651 mg/m ³ , 150 ppm	
TLV (USA)	Long-term value: 434 mg/m ³ , 100 ppm BEI	
EL (Canada)	Short-term value: 150 ppm Long-term value: 100 ppm	
EV (Canada)	Short-term value: 650 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm	
LMPE (Mexico)	Short-term value: 150 ppm Long-term value: 100 ppm A4, IBE	
100-41-4 ethylb	benzene	
PEL (USA)	Long-term value: 435 mg/m ³ , 100 ppm	
REL (USA)	Short-term value: 545 mg/m³, 125 ppm Long-term value: 435 mg/m³, 100 ppm	
TLV (USA)	Long-term value: 87 mg/m³, 20 ppm BEI	
EL (Canada)	Long-term value: 20 ppm IARC 2B	
EV (Canada)	Short-term value: 540 mg/m³, 125 ppm Long-term value: 435 mg/m³, 100 ppm	
LMPE (Mexico)	LMPE (Mexico) Long-term value: 20 ppm	
•	h biological limit values:	
	127-18-4 tetrachloroethylene	
BEI (USA) 3 pp		
	lium: end-exhaled air e: prior to shift	
	Parameter: Tetrachloroethylene	
0.5 ו	0.5 mg/L	
Medium: blood		
	Time: prior to shift Parameter: Tetrachloroethylene	
	1330-20-7 xylene	
BEI (USA) 1.5 g	g/g creatinine	
	Medium: urine	
	Time: end of shift Parameter: Methylhippuric acids	
	2	(Cont'd. on page 8)

(Cont'd. on page 9)

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 09/17/2015

Color:

Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 7) 100-41-4 ethylbenzene BEI (USA) 0.7 g/g creatinine Medium: urine Time: end of shift at end of workweek Parameter: Sum of mandelic acid and phenylglyoxylic acid (nonspecific, semi-quantitative) Medium: end-exhaled air Time: not critical Parameter: Ethyl benzene (semi-quantitative) · Exposure controls · Personal protective equipment: · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Do not carry product impregnated cleaning cloths in trouser pockets. Engineering controls: No relevant information available. · Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation. For spills, respiratory protection may be advisable. NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Eye protection: Safety glasses · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment No relevant information available. · Risk management measures See Section 7 for additional information. No relevant information available. 9 Physical and chemical properties · Information on basic physical and chemical properties · General information · Appearance: Form: Liquid

Clear

Printing date 09/17/2015

Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

· Odor:	(Cont'd. of page 8) Pleasant
· Odor threshold:	Not determined.
· pH-value:	Not determined.
 Change in condition: Melting point/Melting range: Boiling point/Boiling range: 	Not determined. 110 °C (230 °F)
· Flash point:	53 °C (127 °F) (TOC of liquid)
· Flammability (solid, gaseous):	Not applicable.
• Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
 Explosion limits: Lower: Upper: 	1.1 Vol % (estimated) 7.0 Vol % (estimated)
· Vapor pressure at 20 °C (68 °F):	(Liquid) 10 mmHg ((Propellant) 838 psig)
 Density at 20 °C (68 °F): Relative density: Vapor density at 20 °C (68 °F): Evaporation rate at 20 °C (68 °F): 	0.964 g/cm³ (8.045 lbs/gal) Not determined. > 1 (air = 1) < 1 (butyl acetate = 1)
 Solubility in / Miscibility with: Water: 	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water)	: Not determined.
 Viscosity: Dynamic: Kinematic: Other information 	Not determined. Not determined. No relevant information available.

10 Stability and reactivity

Reactivity: No relevant information available.
Chemical stability:
Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
Possibility of hazardous reactions: Develops readily flammable gases / fumes. Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized. Reacts with strong acids and oxidizing agents. Reacts with certain metals. Toxic fumes may be released if heated above the decomposition point. (Cont'd. on page 10)

Printing date 09/17/2015

Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 9)

 Conditions to avoid: Keep ignition sources away - Do not smoke.
 Incompatible materials: No relevant information available.
 Hazardous decomposition products: Carbon monoxide and carbon dioxide Hydrocarbons Chlorine compounds

 Information on toxicological effects Acute toxicity:
· LD/LC50 values that are relevant for classification:
127-18-4 tetrachloroethylene
Oral LD50 2629 mg/kg (rat)
1330-20-7 xylene
Oral LD50 4300 mg/kg (rat)
Dermal LD50 2000 mg/kg (rabbit)
Primary irritant effect:
On the skin: Irritant to skin and mucous membranes.
On the eye: Based on available data, the classification criteria are not met.
• Sensitization: Based on available data, the classification criteria are not met.
 Additional toxicological information: May cause acne.
Inhalation of concentrated vapors as well as oral intake will lead to anaesthesia-like conditions and
headache, dizziness, etc.
Carcinogenic categories
· IARC (International Agency for Research on Cancer)
None of the ingredients are listed.
• NTP (National Toxicology Program):
127-18-4 tetrachloroethylene R
OSHA-Ca (Occupational Safety & Health Administration):
None of the ingredients are listed.
· Probable route(s) of exposure:
Inhalation.
Eye contact.
Skin contact.
 Acute effects (acute toxicity, irritation and corrosivity): Vapors have narcotic effect.
May be harmful if inhaled.
• Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure.
CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
Carc. 1B
· Carcinogenicity: May cause cancer.
• Reproductive toxicity: Based on available data, the classification criteria are not met. (Cont'd. on page 11

Printing date 09/17/2015

Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 10)

STOT-single exposure: Based on available data, the classification criteria are not met.
 STOT-repeated exposure: May cause damage to organs through prolonged or repeated exposure.
 Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: Toxic for aquatic organisms
- Persistence and degradability: The product is partially biodegradable. Significant residuals remain.
- · Behavior in environmental systems
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Ecotoxical effects:

· Remark:

Toxic for fish

Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

Additional ecological information

· General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Other adverse effects: No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

Uncleaned packagings

· Recommendation: Disposal must be made according to official regulations.

1950
1950
osols
0 AEROSOLS, ENVIRONMENTALLY HAZARDOUS
ROSOLS, MARINE POLLUTANT
5

Printing date 09/17/2015

Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol) (Cont'd. of page 11) ·IATA Aerosols, flammable, containing substances in Division 6.1, Packing Group III · Transport hazard class(es) · DOT · Class 2.1 · Label 2.1 · ADR 2 5TF Gases · Class · Label 2.1+6.1 ·IMDG · Class 2.1 2.1+6.1 · Label ·IATA · Class 2.1 · Label 2.1+6.1 · Packing group Aerosols are not assigned a packing group. Product contains environmentally hazardous substances: · Environmental hazards tetrachloroethylene · Marine pollutant: Yes Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) · Special precautions for user Warning: Gases · Danger code (Kemler): · EMS Number: F-D.S-U · Segregation groups Liquid halogenated hydrocarbons Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. (Cont'd. on page 13)

Printing date 09/17/2015

Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 12)

· Transport/Additional info	ormation:
DOT	Limited Quantity for packages less than 30 kg and inner packagings less than 1000 mL.
ADR	Limited Quantity for packages less than 30 kg and inner packagings less than 120 mL.
·IMDG	Limited Quantity for packages less than 30 kg and inner packagings less than 120 mL.
·IATA	Limited Quantity for packages less than 30 kg and inner packagings less than 120 mL.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA)

SARA
· Section 302 (extremely hazardous substances):
None of the ingredients are listed.
· Section 304 (emergency release notification):
None of the ingredients are listed.
• Sections 311/312 (hazardous chemical threshold planning quantity in pounds):
None of the ingredients are listed.
· Section 355 (extremely hazardous substances):
None of the ingredients are listed.
· Section 313 (Specific toxic chemical listings):
127-18-4 tetrachloroethylene
1330-20-7 xylene
100-41-4 ethylbenzene
TSCA (Toxic Substances Control Act)
All ingredients are listed.
· Proposition 65 (California)
Chemicals known to cause cancer:
127-18-4 tetrachloroethylene
100-41-4 ethylbenzene
Chemicals known to cause reproductive toxicity for females:
None of the ingredients are listed.
Chemicals known to cause reproductive toxicity for males:
None of the ingredients are listed.
Chemicals known to cause developmental toxicity:
None of the ingredients are listed.
(Cont'd. on page 14)

Printing date 09/17/2015

Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 13)

L

L

D

2A

2B

A3

A4

A3

3

Carcinogenic categories
 EPA (Environmental Protection Agency):

127-18-4 tetrachloroethylene

1330-20-7 xylene

100-41-4 ethylbenzene

IARC (International Agency for Research on Cancer):

127-18-4 tetrachloroethylene 1330-20-7 xylene

100-41-4 ethylbenzene

• TLV (Threshold Limit Value established by ACGIH):

127-18-4 tetrachloroethylene

1330-20-7 xylene 100-41-4 ethylbenzene

• NIOSH-Ca (National Institute for Occupational Safety and Health):

127-18-4 tetrachloroethylene

Canadian substance listings

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%):

100-41-4 ethylbenzene

· Canadian Ingredient Disclosure list (limit 1%):

127-18-4 tetrachloroethylene

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 09/17/2015 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent

(Cont'd. on page 15)

Printing date 09/17/2015

Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 14)

LD50: Lethal dose, 50 percent Flam. Aerosol 1: Flammable aerosols, Hazard Category 1 Press. Gas: Gases under pressure: Compressed gas Press. Gas: Gases under pressure: Liquefied gas Flam. Liq. 2: Flammable liquids, Hazard Category 2 Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Carc. 1B: Carcinogenicity, Hazard Category 1B Carc. 2: Carcinogenicity, Hazard Category 2 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Asp. Tox. 1: Aspiration hazard, Hazard Category 1 **Sources** SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com